US00D517711S

(12) **United States Design Patent** (10) **Patent No.: US D517,711 S**
Payne et al. (45) **Date of Patent: ** Mar. 21, 2006**

(54) **DUAL LIGHT SOURCE UNDERWATER LIGHT**

(75) Inventors: **Thomas B. Payne**, Hays, KS (US); **Kenneth Smith**, Porum, OK (US)

(73) Assignee: **Optronics, Inc.**, Muskogee, OK (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/214,826**

(22) Filed: **Oct. 8, 2004**

(51) **LOC (8) Cl.** **26-02**
(52) **U.S. Cl.** **D26/37**
(58) **Field of Classification Search** D26/37–50; 362/157, 158, 171–174, 183–208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D313,194 S * 12/1990 Francisco D10/114
D331,889 S * 12/1992 Kaplan D10/114
D356,276 S * 3/1995 Liu et al. D10/114
D363,037 S * 10/1995 Nevarez et al. D10/114
D370,276 S * 5/1996 Davis D26/37
D391,653 S * 3/1998 Ford et al. D26/37

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Head, Johnson & Kachigian

(57) **CLAIM**

The oranamental design for a dual light source underwater light, as shown and described.

DESCRIPTION

FIG. **1** is a bottom view of a dual light source underwater light constructed in accordance with the present invention;
FIG. **2** is a front view of a dual light source underwater light as shown in FIG. **1**;
FIG. **3** is a top view of a dual light source underwater light, as shown in FIG. **1**; and,
The rear view, right side view, and left side view are each identical to the front view, as shown in FIG. **2**;
FIG. **4** is a perspective view and FIG. **5** is an alternate perspective view of the dual light source underwater light as shown in FIG. **1**.

1 Claim, 3 Drawing Sheets




FIGURE 1




FIGURE 2





FIGURE 3






FIGURE 4




FIGURE 5